

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	43	2 same 3	USPAT	OR	OFF	2004/11/04 10:02
		(cam (content adj1 addressable adj1 memory) (content\$1searchable adj1 memories)	USPAT	OR	OFF	2004/02/24 15:08
		((switch switching) and (match adj2 (flip\$1flop (flip adj1 flop)))) and (cam (content adj1 addressable adj1 memory) (content\$1searchable adj1 memories) (associative adj1 memories) (content adj1 searchable adj1 memor\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2004/11/04 09:59
L2	130	(cam (content adj1 addressable adj1 memory) (content\$1searchable adj1 memories) (associative adj1 memories) (content adj1 searchable adj1 memor\$3)) and ((key near4 (field byte bit) keyword (key adj1 word)) and (cascad\$3 chained))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/11/04 10:10
L3	2235	(serially serial) adj access	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/11/04 10:01
L5	0	2 and 3	USPAT	OR	OFF	2004/11/04 10:02
L6	6464	711/108 or 711/128 or 365/49 or 365/230.01 or 365/230.04 or 365/230.09	USPAT	OR	OFF	2004/11/04 10:07
L7	17	2 and 6	USPAT	OR	OFF	2004/11/04 10:07
L8	301	(key near4 (field byte bit) keyword (key adj1 word)) and (cascad\$3 chained) and serially	USPAT	OR	ON	2004/11/04 10:08
L9	3	6 and 8	USPAT	OR	ON	2004/11/04 10:08
L10	554166	cam (content adj1 addressable adj1 memory) (content\$1searchable adj1 memories) (associative adj1 memories) (content adj1 searchable adj1 memor\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/11/04 10:09
L12	10	(serially adj (search access read write)) same 10	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/11/04 10:19
L13	0	(serially adj match) same 10	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/11/04 10:20
L15	68	(parallel adj match\$) same 10	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/11/04 10:40
L16	0	(serially adj match\$) same 10	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/11/04 10:21
L18	8	(match adj2 (flip\$1flop (flip adj1 flop))) same (cam (content adj1 addressable adj1 memory) (content\$1searchable adj1 memories) (associative adj1 memories) (content adj1 searchable adj1 memor\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/11/04 10:43

L19	3	6 and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/11/04 10:43
S1	390	711/108	USPAT	OR	OFF	2004/11/04 10:02
S2	80	(switch switching) and (match adj2 (flip\$1 flop (flip adj1 flop)))	USPAT	OR	OFF	2003/01/10 14:26
S3	169834	cam (content adj1 addressable adj1 memory) (content\$1searchable adj1 memories) (associative adj1 memories) (content adj1 searchable adj1 memor\$3)	USPAT	OR	OFF	2004/11/04 10:09
S4	446	(key near4 (field byte bit)) and (cam (content adj1 addressable adj1 memory) (content\$1searchable adj1 memories) (associative adj1 memories) (content adj1 searchable adj1 memor\$3))	USPAT	OR	OFF	2003/01/10 11:08
S5	90	(key near4 (field byte bit)) same (cam (content adj1 addressable adj1 memory) (content\$1searchable adj1 memories) (associative adj1 memories) (content adj1 searchable adj1 memor\$3))	USPAT	OR	OFF	2003/01/10 16:18
S6	9	((switch switching) and (match adj2 (flip\$1 flop (flip adj1 flop)))) and (cam (content adj1 addressable adj1 memory) (content\$1searchable adj1 memories) (associative adj1 memories) (content adj1 searchable adj1 memor\$3))	USPAT	OR	OFF	2004/11/04 09:59
S7	882	(key near4 (field byte bit) keyword (key adj1 word)) and (cascad\$3 chained)	USPAT	OR	OFF	2004/11/04 10:08
S8	32	(cam (content adj1 addressable adj1 memory) (content\$1searchable adj1 memories) (associative adj1 memories) (content adj1 searchable adj1 memor\$3)) and ((key near4 (field byte bit) keyword (key adj1 word)) and (cascad\$3 chained))	USPAT	OR	OFF	2004/11/04 10:00
S9	1	"5440715".pn	USPAT	OR	OFF	2003/01/10-15:58
S10	0	(match adj2 (flip\$1 flop (flip adj1 flop))) same (cam (content adj1 addressable adj1 memory) (content\$1searchable adj1 memories) (associative adj1 memories) (content adj1 searchable adj1 memor\$3)) same advantag\$6	USPAT	OR	OFF	2003/01/10 14:12
S11	2	(match adj2 (flip\$1 flop (flip adj1 flop))) same (cam (content adj1 addressable adj1 memory) (content\$1searchable adj1 memories) (associative adj1 memories) (content adj1 searchable adj1 memor\$3))	USPAT	OR	OFF	2004/11/04 10:42
S12	113	(control controller) and (match adj2 (flip\$1 flop (flip adj1 flop)))	USPAT	OR	OFF	2003/01/10 14:13
S13	19	(cam (content adj1 addressable adj1 memory) (content\$1searchable adj1 memories) (associative adj1 memories) (content adj1 searchable adj1 memor\$3)) and ((control controller) and (match adj2 (flip\$1 flop (flip adj1 flop))))	USPAT	OR	OFF	2003/07/22 09:40
S14	260	(flip\$1 flop (flip adj1 flop)) near2 advantag\$6	USPAT	OR	OFF	2003/01/10 14:28
S15	36	(cam (content adj1 addressable adj1 memory) (content\$1searchable adj1 memories) (associative adj1 memories) (content adj1 searchable adj1 memor\$3)) same ((valid invalid) near10 block)	USPAT	OR	ON	2003/07/28 09:59
S16	175088	cam (content adj1 addressable adj1 memory) (content\$1searchable adj1 memories) (associative adj1 memories) (content adj1 searchable adj1 memor\$3)	USPAT	OR	OFF	2003/07/28 09:59
S17	1092	(series serially serial) adj2 match\$3	USPAT	OR	OFF	2003/07/24 11:39

S18	44	(cam (content adj1 addressable adj1 memory) (content\$1searchable adj1 memories) (associative adj1 memories) (content adj1 searchable adj1 memor\$3)) same ((series serially serial) adj2 match\$3)	USPAT	OR	OFF	2004/02/24 15:08
S19	655	(flipflop flip adj1 flop flip\$1flop) same (cam (content adj1 addressable adj1 memory) (content\$1searchable adj1 memories) (associative adj1 memories) (content adj1 searchable adj1 memor\$3))	USPAT	OR	OFF	2003/07/22 15:08
S20	67	(flipflop flip adj1 flop flip\$1flop) near4 (cam (content adj1 addressable adj1 memory) (content\$1searchable adj1 memories) (associative adj1 memories) (content adj1 searchable adj1 memor\$3))	USPAT	OR	OFF	2003/07/22 15:18
S21	1	"5394353".pn.	USPAT	OR	OFF	2003/07/22 15:19
S22	1	"5455784".pn.	USPAT	OR	OFF	2003/07/22 16:10
S23	1	"5469378".pn.	USPAT	OR	OFF	2003/07/22 15:46
S24	929	((return returned) near4 line\$1) (standard adj2 byte)) same (cam (content adj1 addressable adj1 memory) (content\$1searchable adj1 memories) (associative adj1 memories) (content adj1 searchable adj1 memor\$3))	USPAT	OR	OFF	2003/07/22 16:21
S25	177	((return returned) near4 line\$1) (standard adj2 byte)) near10 (cam (content adj1 addressable adj1 memory) (content\$1searchable adj1 memories) (associative adj1 memories) (content adj1 searchable adj1 memor\$3))	USPAT	OR	OFF	2003/07/22 16:45
S26	3343	(cam (content adj1 addressable adj1 memory) (content\$1searchable adj1 memories) (associative adj1 memories) (content adj1 searchable adj1 memor\$3)) and g06f\$.ipc.	USPAT	OR	OFF	2003/07/24 11:40
S27	11	((return returned) near4 line\$1) (standard adj2 byte)) same (cam (content adj1 addressable adj1 memory) (content\$1searchable adj1 memories) (associative adj1 memories) (content adj1 searchable adj1 memor\$3)) and ((cam (content adj1 addressable adj1 memory) (content\$1searchable adj1 memories) (associative adj1 memories) (content adj1 searchable adj1 memor\$3)) and g06f\$.ipc.)	USPAT	OR	OFF	2003/07/22 16:18
S28	52	((return returned) adj2 line\$1) and ((cam (content adj1 addressable adj1 memory) (content\$1searchable adj1 memories) (associative adj1 memories) (content adj1 searchable adj1 memor\$3)) and g06f\$.ipc.)	USPAT	OR	OFF	2003/07/22 16:33
S29	127	((clear cleared) adj2 signal) and ((cam (content adj1 addressable adj1 memory) (content\$1searchable adj1 memories) (associative adj1 memories) (content adj1 searchable adj1 memor\$3)) and g06f\$.ipc.)	USPAT	OR	OFF	2003/07/28 09:58
S30	24	(standard adj2 byte) and ((cam (content adj1 addressable adj1 memory) (content\$1searchable adj1 memories) (associative adj1 memories) (content adj1 searchable adj1 memor\$3)) and g06f\$.ipc.)	USPAT	OR	OFF	2003/07/22 16:50
S31	145	(keyword (key adj2 fields)) and ((cam (content adj1 addressable adj1 memory) (content\$1searchable adj1 memories) (associative adj1 memories) (content adj1 searchable adj1 memor\$3)) and g06f\$.ipc.)	USPAT	OR	ON	2003/07/22 16:51
S32	4206	(series serially serial) near4 match\$3	USPAT	OR	OFF	2003/07/24 11:40
S33	3343	(cam (content adj1 addressable adj1 memory) (content\$1searchable adj1 memories) (associative adj1 memories) (content adj1 searchable adj1 memor\$3)) and g06f\$.ipc.	USPAT	OR	OFF	2003/07/24 13:25

S34	53	((series serially serial) near4 match\$3) and ((cam (content adj1 addressable adj1 memory) (content\$1searchable adj1 memories) (associative adj1 memories) (content adj1 searchable adj1 memor\$3)) and g06f\$.ipc.)	USPAT	OR	OFF	2003/07/24 13:21
S35	1	"4559618".pn.	USPAT	OR	OFF	2003/07/24 13:21
S36	72	((status adj1 register) same ((valid invalid cleared clear) adj2 bit byte)) and ((cam (content adj1 addressable adj1 memory) (content\$1searchable adj1 memories) (associative adj1 memories) (content adj1 searchable adj1 memor\$3)) and g06f\$.ipc.)	USPAT	OR	OFF	2003/07/24 13:35
S37	15	((valid adj2 (flag bit byte)) same (invalid adj2 (flag bit byte))) and ((cam (content adj1 addressable adj1 memory) (content\$1searchable adj1 memories) (associative adj1 memories) (content adj1 searchable adj1 memor\$3)) and g06f\$.ipc.)	USPAT	OR	OFF	2003/07/24 13:50
S38	68	((valid adj2 (flag bit byte)) and (invalid adj2 (flag bit byte))) and ((cam (content adj1 addressable adj1 memory) (content\$1searchable adj1 memories) (associative adj1 memories) (content adj1 searchable adj1 memor\$3)) and g06f\$.ipc.)	USPAT	OR	OFF	2003/07/24 14:50
S39	2834	(clear cleared reset) near3 (cam (content adj1 addressable adj1 memory))	USPAT	OR	ON	2003/07/28 11:46
S40	35	(clear cleared reset) near3 (content adj1 addressable adj1 memory)	USPAT	OR	ON	2003/07/28 12:32
S41	1	"5450489".pn.	USPAT	OR	OFF	2003/07/28 13:54
S42	1	"5440715".pn.	USPAT	OR	OFF	2004/02/24 15:08
S43	180715	(cam (content adj1 addressable adj1 memory)) (content\$1searchable adj1 memories)	USPAT	OR	OFF	2004/02/24 15:20
S44	1128	flip\$1flop and (switch bidirection) and comparator and search and access	USPAT	OR	OFF	2004/02/24 15:10
S45	169	((cam (content adj1 addressable adj1 memory)) (content\$1searchable adj1 memories)) and (flip\$1flop and (switch bidirection) and comparator and search and access)	USPAT	OR	OFF	2004/02/24 15:11
S46	2395	(content adj1 addressable adj1 memory)	USPAT	OR	OFF	2004/02/24 15:27
S47	59	(flip\$1flop and (switch bidirection) and comparator and search and access) and ((content adj1 addressable adj1 memory))	USPAT	OR	OFF	2004/02/24 15:21
S48	361	(content adj1 addressable adj1 memory).ti.	USPAT	OR	OFF	2004/02/24 15:28
S49	3	(flip\$1flop and (switch bidirection) and comparator and search and access) and ((content adj1 addressable adj1 memory).ti.)	USPAT	OR	OFF	2004/02/24 15:28